

Google

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Chip-Interleaved

[Advanced Search Preferences](#)New! [View and manage your web history](#)

Web

Results 1 - 10 of about 748 for Chip-Interleaved . (0.18 seconds)[\[PDF\] Chip-interleaved block-spread CDMA for the downlink with inter ...](#)

File Format: PDF/Adobe Acrobat

Page 1. Page 2. Page 3. Page 4.

ieeexplore.ieee.org/iel5/7897/21766/01009972.pdf - [Similar pages](#) - [Note this](#)[\[PDF\] Chip-Interleaved Block-Spread CDMA Versus DS-CDMA for Cellular ...](#)

File Format: PDF/Adobe Acrobat

Abstract—A so-termed **chip-interleaved** block-spread (CIBS) ... [23] S. Zhou, G. B.

Giannakis, and C. Le Martret, "Chip interleaved block ...

ieeexplore.ieee.org/iel5/7693/28152/01259411.pdf - [Similar pages](#) - [Note this](#)[[More results from ieeexplore.ieee.org](#)][Chip-Interleaved Block-Spread Code Division Multiple Access - Zhou ...](#)

A novel multiuser interference MUI free code division multiple access CDMA transceiver for frequency selective multipath channels is developed in this paper ...

citeseer.ist.psu.edu/zhou02chipinterleaved.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)[Chip-Interleaved Block-Spread CDMA versus DS-CDMA for Cellular ...](#)A so termed **chip interleaved** block spread CIBS code division multiple access CDMA system has been introduced for cellular applications in the presence of ...citeseer.ist.psu.edu/657740.html - 20k - [Cached](#) - [Similar pages](#) - [Note this](#)[[More results from citeseer.ist.psu.edu](#)][\[PDF\] A Low-rate Code-spread and Chip-interleaved Time-hopping UWB System](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Here we consider an uncoded **chip-interleaved** time-hopping. (TH) UWB system with K users. ... spread **chip-interleaved** TH-UWB system with iterative mul- ...www288.pair.com/ciss/ciss/numbered/49.pdf - [Similar pages](#) - [Note this](#)[Chip Interleaved Block-Spread Code-Division Multiple Access - What ...](#)What does CIBS-CDMA stand for? Definition of **Chip Interleaved** Block-Spread Code-Division Multiple Access in the list of acronyms and abbreviations provided ...acronyms.thefreedictionary.com/Chip+Interleaved+Block-Spread+Code-Division+Multiple+Access - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)[Joint Bit- and Chip-Interleaved Direct Sequence - What does BCIDS ...](#)What does BCIDS stand for? Definition of Joint Bit- and **Chip-Interleaved** Direct Sequence in the list of acronyms and abbreviations provided by the Free ...acronyms.thefreedictionary.com/Joint+Bit-+and+**Chip-Interleaved+Direct+Sequence** - 24k - [Cached](#) - [Similar pages](#) - [Note this](#)[[More results from acronyms.thefreedictionary.com](#)][2-Dimensional OVSF Spread/Chip-Interleaved CDMA -- LIU and ADACHI ...](#)In this paper, we propose a generalized **chip-interleaved** CDMA with 2-dimensional (2D) spreading using orthogonal variable spreading factor (OVSF) codes to ...ietcom.oxfordjournals.org/cgi/content/abstract/E89-B/12/3363 - [Similar pages](#) - [Note this](#)[2-Dimensional OVSF Spread/Chip-Interleaved CDMA -- LIU and ADACHI ...](#)

Institution: Google Indexer Sign In as Personal Subscriber · Oxford Journals · Mathematics & Physical Sciences · IEICE-Transactions on Communications ...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/12/3363 - [Similar pages](#) - [Note this](#)

Pilot-aided chip-interleaved DS-CDMA transmission over time ...

Title: Pilot-aided chip-interleaved DS-CDMA transmission over time-varying channels

Authors: Na, Yanxin; Saquib, Mohammad; Win, Moe Z. Affiliation: AA(The ...

adsabs.harvard.edu/abs/2005SPIE.5847..61N - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results
BROWSE**SEARCH****IEEE Xplore GUIDE**

Results for "(giannakis<in>metadata) <and> (interleaved<in>metadata) <and> (chips..."
 Your search matched 5 of 1551427 documents.

 [e-mail](#)

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options
[View Session History](#)
[Modify Search](#)
[New Search](#)

 Check to search only within this results set

» Key
Display Format: [Citation](#) [Citation & Abstract](#)
IEEE JNL IEEE Journal or Magazine

 [view selected items](#) [Select All](#) [Deselect All](#)
IET JNL IET Journal or Magazine

 1. Chip-interleaved block-spread code division multiple access

Shengli Zhou; Giannakis, G.B.; Le Martret, C.;
Communications, IEEE Transactions on
 Volume 50, Issue 2, Feb. 2002 Page(s):235 - 248
 Digital Object Identifier 10.1109/26.983320

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(347 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

 2. Chip-interleaved block-spread CDMA versus DS-CDMA for cellular downlink comparative study

Shengli Zhou; Pengfei Xia; Leus, G.; Giannakis, G.B.;
Wireless Communications, IEEE Transactions on
 Volume 3, Issue 1, Jan. 2004 Page(s):176 - 190
 Digital Object Identifier 10.1109/TWC.2003.821166

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(600 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

 3. Chip-interleaved block-spread CDMA for the downlink with inter-cell inter-hand-off

Shengli Zhou; Pengfei Xia; Leus, G.; Giannakis, G.B.;
Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
 Volume 1, 26-29 May 2002 Page(s):I-841 - I-844 vol.1
 Digital Object Identifier 10.1109/ISCAS.2002.1009972

[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

 4. Chip-interleaved block-spread CDMA or DS-CDMA for cellular downlink?

Leus, G.; Pengfei Xia; Shengli Zhou; Giannakis, G.B.;
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). International Conference on
 Volume 3, 13-17 May 2002 Page(s):III-2305 - III-2308 vol.3
 Digital Object Identifier 10.1109/ICASSP.2002.1005144

[AbstractPlus](#) | Full Text: [PDF\(523 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

 5. On the role of linear precoding in signal processing for wireless

Giannakis, G.B.;
Statistical Signal Processing, 2001. Proceedings of the 11th IEEE Signal Proc

on

6-8 Aug. 2001 Page(s):13

Digital Object Identifier 10.1109/SSP.2001.955209

[AbstractPlus](#) | [Full Text](#): [PDF\(19 KB\)](#) [IEEE CNF](#)[Rights and Permissions](#)[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec®

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

resilient ISI MUI interleaved

[Advanced Search](#)
[Preferences](#)

[New!](#) [View and manage your web history](#)

WebResults 1 - 10 of about 138 for resilient ISI MUI interleaved. (0.14 seconds)Block Precoding for MUI/ISI-Resilient Generalized Multicarrier ...0.5: Chip-**Interleaved** Block-Spread Code Division Multiple Access - Zhou, Giannakis, ... 2Load-adaptive **MUI/ISI-resilient** generalized multi-carrier CD. ...citeseer.ist.psu.edu/500703.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)Chip-**Interleaved** Block-Spread Code Division Multiple Access - Zhou ...0.5: Block Precoding for **MUI/ISI-Resilient** Generalized.. - Wang, Giannakis (2001)(Correct) ... 1.2: Chip-**Interleaved** Block-Spread CDMA For The Downlink. ...citeseer.ist.psu.edu/zhou02chipinterleaved.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)[[More results from citeseer.ist.psu.edu](#)][PDF] Chip-**interleaved** block-spread code division multiple access ...

File Format: PDF/Adobe Acrobat

explains the acronym **chip-**interleaved**** block-spread CDMA ... "Block-precoding for **MUI/ISI-resilient** generalized multi-carrier ...

ieeexplore.ieee.org/iel5/26/21199/00983320.pdf?arnumber=983320 -

[Similar pages](#) - [Note this](#)[PDF] Multistage block-spreading for impulse radio multiple access ...

File Format: PDF/Adobe Acrobat

to **MUI** and **ISI**. Chip-**interleaved** block-spread code-division ... "Block precoding for **MUI/ISI-resilient** generalized multicarrier ...ieeexplore.ieee.org/iel5/49/24076/01097842.pdf - [Similar pages](#) - [Note this](#)[[More results from ieeexplore.ieee.org](#)]2-Dimensional OVSF Spread/Chip-**Interleaved** CDMA -- LIU and ADACHI ...In this paper, we propose a generalized chip-**interleaved** CDMA with 2-dimensional ... [11]Z. Wang and G.B. Giannakis, "Block precoding for **MUI/ISI-resilient** ...ietcom.oxfordjournals.org/cgi/content/refs/E89-B/12/3363 - [Similar pages](#) - [Note this](#)Multi-user interference **resilient** ultra wideband (UWB) ...uB reduce a multi-user detection problem, which operates on **MUI** and **ISI** in ... Transmitter12 converts the **interleaved** multi-stage block-spread chips into ...www.freepatentsonline.com/20040240527.html - 82k - [Cached](#) - [Similar pages](#) - [Note this](#)[PDF] BLOCK SPREADING FOR MULTIPATH-**RESILIENT** GENERALIZED MULTI-CARRIER CDMAFile Format: PDF/Adobe Acrobat - [View as HTML](#)previous section, we will develop in this section an **MUI/ISI-resilient** CDMA ... signaturepoint allocation, their spectra are **interleaved** and overlapped. ...

www.ece.iastate.edu/~zhengdao/group/publications/papers/wagi00b.pdf -

[Similar pages](#) - [Note this](#)电子与信息学报031219- [Translate this page][4] Wang Z, Giannakis G B. Block-precoding for **MUI/ISI-resilient** ... [22] Zhou S,Giannakis G B, Le Martret C. Chip-**interleaved** block-spread code division ...

www.wanfangdata.com.cn/qikan/periodical.Articles/dzkxxk/dzkx2003/0312/031219.htm -

[Similar pages](#) - [Note this](#)

ICC 2000

1183-1187 BibTeX · Vincent K. N. Lau: Design of Adaptive Bit **Interleaved** TCM ...
Georgios B. Giannakis: Block Spreading for **MUI/ISI-Resilient** Generalized ...
www.informatik.uni-trier.de/~ley/db/conf/icc/icc2000-3.html - 52k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] [A novel MUI-free CDMA transceiver for frequency-selective ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Chip-**Interleaved** Block-Spread Code Division Multiple Access ... tational complexity among the three dierent **MUI-resilient** transceivers: this paper's and ...
spincom.ece.umn.edu/shengli/ciss01.pdf - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

resilient ISI MUI interleaved

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[uwb interleaved chip](#)

[Search](#) [Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

WebResults 1 - 10 of about 17,000 for **uwb interleaved chip**. (0.17 seconds)**[PDF] A MULTICARRIER CHIP-INTERLEAVED MULTIUSER UWB SYSTEM Kai Yang ...**

File Format: PDF/Adobe Acrobat

Here, we propose a multicarrier **interleave**-division, multiple-access scheme (MC-IDMA) for the uplink **UWB** transmission. The **chip**-wise interleaving at the ...
ieeexplore.ieee.org/iel5/9711/30652/01415712.pdf - [Similar pages](#) - [Note this](#)

[PDF] A Low-Rate Code-Spread and Chip-Interleaved Time-Hopping UWB System

File Format: PDF/Adobe Acrobat

the **chip-interleaved** multiuser TH-UWB system. Section III. presents the **chip**-level iterative ... **code-spread chip-interleaved TH-UWB** system with iterative ...
ieeexplore.ieee.org/iel5/49/33926/01618813.pdf - [Similar pages](#) - [Note this](#)

[[More results from ieeexplore.ieee.org](#)]**[PDF] A Low-rate Code-spread and Chip-interleaved Time-hopping UWB System**File Format: PDF/Adobe Acrobat - [View as HTML](#)

spread **chip-interleaved** TH-UWB system with iterative mul-. tiuser detection. The discrete time channel model proposed by. the IEEE 802.15.3a working group ...
www288.pair.com/ciss/ciss/numbered/49.pdf - [Similar pages](#) - [Note this](#)

[PDF] HIERARCHICAL POWER AND SUBCARRIER ALLOCATION FOR MULTICARRIER TWO ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

link transmission of a multicarrier **chip-interleaved** UWB. system. ... A multicarrier two-layer **chip-level interleaved UWB** scheme. is proposed. ...
www288.pair.com/ciss/ciss/numbered/110.pdf - [Similar pages](#) - [Note this](#)

ICASSP 2005Title: A Multicarrier **Chip-interleaved** Multiuser UWB System. Authors: Kai Yang;

Columbia University. Xiaodong Wang; Columbia University ...

www.icassp2005.com/Papers/viewpapers.asp?papernum=2253 - 6k -[Cached](#) - [Similar pages](#) - [Note this](#)**the digital integrated circuits & systems group @ mit**This is the lab's first **UWB**-related **chip**, consisting of a LNA, a FLASH time-interleavedADC, and a self-biased PLL. This **chip** was used to test functionality ...www-mtl.mit.edu/researchgroups/icsystems/gallery.html - 37k -[Cached](#) - [Similar pages](#) - [Note this](#)**[PDF] Dual Scalable 500MS/s, 5b Time-Interleaved SAR ADCs for UWB ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Dual Scalable 500MS/s, 5b Time-**Interleaved** SAR. ADCs for UWB Applications ...Abstract—A dual 500MS/s, 5b ADC **chip** is implemented in ...www-mtl.mit.edu/researchgroups/icsystems/pubs/conferences/2005/ginsburg_cicc2005_paper.pdf - [Similar pages](#) - [Note this](#)**[PDF] Scarcely Populated UWB-IR Systems with Interleaved Coding ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Scarcely Populated **UWB-IR** Systems with. **Interleaved** Coding-Modulation on Multipath ...deterministic **chip** interleaver based on time-hopping hyperbolic ...www.ewi.tudelft.nl/.../doc/Michal_Pietrzyk_ICUWB_2006_paper.pdf -

[Similar pages](#) - [Note this](#)

[\[PDF\]](#) **Multi-User UWB-IR Systems with Interleaved Coding-Modulation on ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Section II presents the considered **UWB-IR** system model with particular insight into the principle of building the **chip** interleaver. Moreover, ...

www.ewi.tudelft.nl/.../doc/Michal_Pietrzyk_final_paper.pdf - [Similar pages](#) - [Note this](#)

[\[PDF\]](#) **Dual Scalable 500 MS/s, 5b Time- Interleaved SAR ADCs for UWB ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Interleaved SAR ADCs for UWB. Applications. Brian P. Ginsburg, Anantha ... Outputs sorted to maintain constant time ordering at **chip** interface ...

mtlweb.mit.edu/researchgroups/icsystems/uwb/docs/ginsburg_cicc2005_slides.pdf -

[Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[uwb interleaved chip](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

multistage "impulse radio" Search [Advanced Search](#) [Preferences](#)

New! [View and manage your web history](#)

WebResults 1 - 10 of about 572 for **multistage "impulse radio"**. (0.15 seconds)**[PDF] Multistage block-spreading for impulse radio multiple access ...**

File Format: PDF/Adobe Acrobat

Multistage Block-Spreading for Impulse Radio. Multiple Access Through ISI Channels.

Liuqing Yang, Student Member, IEEE and Georgios B. Giannakis, Fellow, ...

ieeexplore.ieee.org/iel5/49/24076/01097842.pdf - [Similar pages](#) - [Note this](#)**[PDF] Impulse radio multiple access through ISI channels with multi ...**

File Format: PDF/Adobe Acrobat

Page 1. Page 2. Page 3. Page 4. Page 5. Page 6.

ieeexplore.ieee.org/iel5/7878/21705/01006374.pdf - [Similar pages](#) - [Note this](#)[[More results from ieeexplore.ieee.org](#)]**Impulse Radio Multiple Access Through ISI Channels With Multi ...**

L. Yang and G. B. Giannakis, "Impulse radio multiple access through ISI channels with

multi-stage block-spreading," in Proc. UWB System Techn. ...citeseer.ist.psu.edu/yang02impulse.html - 18k - [Cached](#) - [Similar pages](#) - [Note this](#)**Multistage Block-Spreading for Impulse Radio Multiple Access ...**Transmitting digital information using ultra short pulses, **impulse radio** IR has received increasing interest for multiple access MA When IRMA systems have ...citeseer.ist.psu.edu/571889.html - 24k - [Cached](#) - [Similar pages](#) - [Note this](#)[[More results from citeseer.ist.psu.edu](#)]**[PDF] Optimal and Suboptimal Linear Receivers for Impulse Radio UWB Systems**File Format: PDF/Adobe Acrobat - [View as HTML](#)

[13] S.-H. Wu, U. Mitra, and C.-C. J. Kuo, "Multistage MMSE receivers. for ultra-wide

bandwidth **impulse radio** communications," Proc. IEEE ...www.merl.com/reports/docs/TR2006-067.pdf - [Similar pages](#) - [Note this](#)**[PDF] BLIND MULTIUSER DETECTION FOR IMPULSE RADIO UWB SYSTEMS**File Format: PDF/Adobe Acrobat - [View as HTML](#)

[6] L. Yang and G. B. Giannakis, "Multistage block-spreading. for impulse radio multiple access through ISI channels.". IEEE J. Selected Areas Commun., vol. ...

hcac.hawaii.edu/tcwct03/papers/s27p08.pdf - [Similar pages](#) - [Note this](#)**A review on multiple access interference cancellation and ...**

[13] Yang, L. and Giannakis, G.B., Multistage block-spreading for impulse-radio multiple access through ISI channels. IEEE J. Select. Areas Commun. ...

portal.acm.org/citation.cfm?id=1221592.1221926&coll=&dl=ACM&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#) - [Note this](#)**IEEE Journal on Selected Areas in Communications**Multiple Access for UWB Impulse Radio with Pseudochaotic Time Hopping ... **Multistage Block-Spreading for Impulse Radio** Multiple Access Through ISI Channels ...www.jsac.ucsd.edu/TOC/2002/dec02.html - 5k - [Cached](#) - [Similar pages](#) - [Note this](#)**ECS EPrints Service - Residue Number System Assisted Fast ...**... Ultra-Wideband Spread-Spectrum Multiple-Access: A Design Alternative to **Impulse Radio** ... In the proposed UWB system, FH is implemented using **multistage** ...eprints.ecs.soton.ac.uk/8274/ - 14k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] [B24-1: Multistage Frequency-Hopping Assisted Ultra-Wideband ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

posed, where the associated FH is implemented using MultiStage ... referred to as **impulse radio** or time domain radio systems, which ...

eprints.ecs.soton.ac.uk/7090/01/lly-lh-icc-april-2002.pdf - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

multistage "impulse radio"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google